



Políg. Ind. Oeste Parc. 26/7
San Ginés 30169 (Murcia)
Tfno.: 968/886055
Fax: 968/882933
Web: www.corbalan.com



FACTORES ENERGÉTICOS Y LUMINOSOS

1) VIDRIOS DE CONTROL SOLAR

DOBLE ACRISTALAMIENTO 6/12/6	% TRANS MISION UV	% TRAN MISION LUZ	%REFLEXION INTERIOR LUZ	%REFLEXION EXTERIOR LUZ	% TRANS MISION ENERGIA	%REFLEXION EXTERNA ENERGIA	%ABSORCION ENERGIA	%FACTOR SOLAR	VALOR U W/M2 K
SUNGUARD S.GREY 32 CLARO	22	29	21	22	19	18	62	30	2,5
SUNGUARD S.GREY 32 VERDE	10	24	21	17	12	10	78	23	2,5
SUNGUARD SILVER 20 CLARO	17	19	26	32	12	28	60	21	2,4
SUNGUARD SILVER 20 VERDE	5,6	15,7		23,9	8,6	13,7		16,8	2,4
SUNGUARD SILVER 10 VERDE	2,9	7,5		30,2	4,1	16,2		12	2,2
SUNGUARD ROYAL BLUE 20 VERDE	6	17	34	15	8	9	82	19	2,5
SUNGUARD ROYAL BLUE 20 CLARO	12	20	34	19	16	14	70	23	2,5
STOPSOL SUPERSILVER AZUL	14	37	32	16	28	12	60	38	2,9
STOPSOL CLASSIC BRONCE	4	19	35	12	24	11	65	34	2,9
STOPSOL SILVERLIGHT AZUL (CARA 2)		23	29	9	13	7	80	23	2,8
COOL-LITE PB120 AZUL	8	18	38	18	15	16	67	24	2,6
COOL-LITE ST 150 GRIS	21	46	21	20	37	16	41	46	2,8
COOL-LITE ST 720 AZUL		18	18	18	17	15	68	24	2,6
COOL-LITE ST 436 VERDE	7	30	22	16	17	10	71	27	2,8
REFLECTASOL VERDE	2	25	38	38	20	19	61	29	2,9
REFLECTASOL AZUL	2	17	21	21	19	15	66	29	2,9

2) VIDRIOS DE CONTROL SOLAR + BAJO EMISIVO 1.4 U

DOBLE ACRISTALAMIENTO 6/12/6 BAJO EMISIVO	% TRANS MISION UV	% TRANS MISION LUZ	%REFLEXION INTERIOR LUZ	%REFLEXION EXTERIOR LUZ	% TRANS MISION ENERGIA	%REFLEXION EXTERNA ENERGIA	%ABSORCION ENERGIA	%FACTOR SOLAR	VALOR U W/M2 K
SUNGUARD S.GREY 32 CLARO	17	24	18	21	19	14	67	23	1,7
SUNGUARD S.GREY 32 VERDE	7	20	18	16	10	9	82	18	1,7
SUNGUARD SILVER 20 CLARO	13	14	20	32	9	28	63	18	1,7
SUNGUARD ROYAL BLUE 20 VERDE	5	13	25	15	6	9	85	16	1,7
SUNGUARD ROYAL BLUE 20 CLARO	10	16	25	19	10	17	74	20	1,7
STOPSOL SUPERSILVER AZUL	7	35	29	16	23	13	64	31	1,8
STOPSOL CLASSIC BRONCE	2	18	32	12	17	15	68	25	1,8
STOPSOL SILVERLIGHT AZUL		22	27	9	11	7	82	18	1,7
COOL-LITE PB120 AZUL	5	18	37	17	11	20	69	19	1,7
COOL-LITE ST 150 GRIS									
COOL-LITE ST 720 AZUL		18	17	17	20	11	69	19	1,7
COOL-LITE ST 436 VERDE		11	23	23	8	12	80	19	1,7
REFLECTASOL VERDE	2	23	37	37	14	21	65	21	1,7
REFLECTASOL AZUL	2	16	21	21	13	18	69	23	1,7



Políg. Ind. Oeste Parc. 26/7
 San Ginés 30169 (Murcia)
 Tfno.: 968/886055
 Fax: 968/882933
 Web: www.corbalan.com



3) VIDRIOS DE ALTAS PRESTACIONES

DOBLE ACRISTALAMIENTO 6/12/6	%TRANS MISION UV	%TRANS MISION LUZ	%REFLEXION INTERIOR LUZ	%REFLEXION EXTERIOR LUZ	%TRANS MISION ENERGIA	%REFLEXION EXTERNA ENERGIA	%ABSORCION ENERGIA	%FACTOR SOLAR	VALOR U W/M2 K
SUNGUARD LIGHT BLUE 63 CLARO		63	14	13	44	15	41	50	1,8
SUNGUARD LIGHT BLUE 63 VERDE		34	13	14	17	10	73	32	1,7
SUNGUARD NEUTRAL 50 CLARO		49	13	15	33	19	48	40	1,7
SUNGUARD NEUTRAL 50 VERDE		42	11	12	21	9	70	24	1,7
SUNGUARD NEUTRAL 40 CLARO		40	15	18	26	22	52	32	1,7
SUNGUARD NEUTRAL 40 VERDE		34	13	14	17	10	70	28	1,7
SUNGUARD HP 61 CLARO	16,6	59	14	22,2	34	27	55	40	1,7
SUNERGY CLARO	27	61	16	12	46	13	41	52	2,1
SUNERGY VERDE	9	50	15	10	26	7	67	33	2,1
SUNERGY AZUL	17	50	16	10	29	8	63	36	2,1